

## SDS Report

No. SHAHG1906355201

Date: Apr. 26, 2019

Page 1 of 1

Papeteria


Migros-Genossenschafts-Bund Limmatstrasse 152 Postfach CH-8031 Zuerich

SGS Ref. No. : SHHL1904015216SD-SH  
 Sample Name : CORRECTION FLUID ,CORRECTION PEN  
 End Uses : Stationery, office product  
 Composition/Ingredient of sample (as per client submission) : See *Section 3 Composition/information on ingredients* on the SDS report  
 Job Receiving Date : Apr 04, 2019  
 Last Information Date : Apr 12, 2019  
 SDS Preparation Period : Apr 04 - Apr 12, 2019

Service Requested : Preparation of Safety Data Sheet (SDS) for the sample with submitted information.

Summary : As per request, the contents and formats of the SDS are prepared in accordance with European Commission Regulation (EC) No 1907/2006, Regulation (EC) No 1272/2008 and Regulation (EU) No 2015/830, and is provided per attached.

Signed for and on behalf of  
 SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.



Kejun You, Grady  
 Approved Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

3<sup>rd</sup> Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgsgroup.com.cn  
 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21) 61156899 e [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

# Safety data sheet

## Regulation (EC) No.1907/2006 and 1272/2008

Printing date 12.04.2019

Version number 1

Revision: 12.04.2019

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** CORRECTION FLUID ,CORRECTION PEN
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the mixture:** Stationery, office product
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Papeteria  
Migros-Genossenschafts-Bund Limmatstrasse 152 Postfach CH-8031 Zuerich  
Tel: +4144272772111  
E-mail: koupin@huanyangpen.com
- **Only Representative/ other EU contact point:** Not available
- **Further information obtainable from:** Papeteria
- **1.4 Emergency telephone number:**  
Papeteria  
Tel: Swiss Tox call 145 in Switzerland
- **1.5 Reference Number:** SHHL1904015216SD-SH; SHAHG1906355201

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Liq. 2      H225 Highly flammable liquid and vapour.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2      H315 Causes skin irritation.

STOT SE 3      H336 May cause drowsiness or dizziness.

- **Information concerning particular hazards for human and environment:**  
The product has to be labelled due to the calculation procedure of Regulation (EC) No. 1272/2008.
- **Classification system:**  
The classification is according to the latest edition of EU Regulation (EC) No. 1272/2008, and extended by company and literature data.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS02



GHS07



GHS09

- **Signal word** Danger
- **Hazard-determining components of labelling:**  
methylcyclohexane

(Contd. on page 2)

# Safety data sheet

## Regulation (EC) No.1907/2006 and 1272/2008

Printing date 12.04.2019

Version number 1

Revision: 12.04.2019

Trade name: CORRECTION FLUID ,CORRECTION PEN

(Contd. of page 1)

### · Hazard statements

- H225 Highly flammable liquid and vapour.
- H315 Causes skin irritation.
- H336 May cause drowsiness or dizziness.
- H411 Toxic to aquatic life with long lasting effects.

### · Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read label before use.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P241 Use explosion-proof [electrical/ventilating/lighting] equipment.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### · 2.3 Other hazards

### · Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

### · 3.2 Mixtures

#### · Description:

Mixture of the substances listed below with nonhazardous additions.

For the wording of the listed hazard statements refer to Section 16.

#### · Composition:

CAS: 108-87-2	methycyclohexane	51.0%
EINECS: 203-624-3	Flam. Liq. 2, H225; Asp. Tox. I, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; STOT SE 3, H336	
Index number: 601-018-00-7		
CAS: 13463-67-7	titanium dioxide	40.0%
EINECS: 236-675-5	substance with a Community workplace exposure limit	
CAS: 24969-06-0	Polyepichlorohydrin	9.0%

## SECTION 4: First aid measures

### · 4.1 Description of first aid measures

- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Never give anything by mouth to an unconscious person.  
Rinse out mouth with water.  
Seek medical treatment.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

**Safety data sheet**  
**Regulation (EC) No.1907/2006 and 1272/2008**

Printing date 12.04.2019

Version number 1

Revision: 12.04.2019

Trade name: CORRECTION FLUID ,CORRECTION PEN

(Contd. of page 2)

- **4.3 Indication of any immediate medical attention and special treatment needed**  
 No further relevant information available.

### **SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
 CO<sub>2</sub> powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
 Wear fully protective suit.  
 Mouth respiratory protective device.

### **SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures**  
 Avoid contact with eyes.  
 Avoid contact with skin.  
 Ensure adequate ventilation.  
 Keep away from ignition sources.  
 Use respiratory protective device against the effects of fumes/dust/aerosol.  
 Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**  
 Do not allow product to reach sewage system or any water course.  
 Inform respective authorities in case of seepage into water course or sewage system.  
 Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
 Ensure adequate ventilation.  
 Dispose contaminated material as waste according to item 13.
- **6.4 Reference to other sections**  
 See Section 7 for information on safe handling.  
 See Section 8 for information on personal protection equipment.  
 See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling**  
 Avoid contact with eyes and skin.  
 Keep away from heat and direct sunlight.  
 Keep receptacles tightly sealed.  
 Ensure good ventilation/exhaustion at the workplace.  
 Prevent formation of aerosols.  
 For the general occupational hygienic measures refer to Section 8.
- **Information about fire - and explosion protection:**  
 Keep ignition sources away - Do not smoke.  
 Protect against electrostatic charges.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and receptacles:**  
 Store in a cool location.

(Contd. on page 4)

# Safety data sheet

## Regulation (EC) No.1907/2006 and 1272/2008

Printing date 12.04.2019

Version number 1

Revision: 12.04.2019

Trade name: CORRECTION FLUID ,CORRECTION PEN

(Contd. of page 3)

- Store only in the original receptacle.
- **Information about storage in one common storage facility:**
  - Store away from foodstuffs.
  - Store away from flammable substances.
  - Store away from oxidising agents.
- **Further information about storage conditions:**
  - Keep container tightly sealed.
  - Store in cool, dry conditions in well sealed receptacles.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

##### · **Ingredients with limit values that require monitoring at the workplace:**

###### **108-87-2 methylcyclohexane (51.0%)**

AGW (Germany) Long-term value: 810 mg/m<sup>3</sup>, 200 ppm  
2(II);DFG

VME (France) Long-term value: 1600 mg/m<sup>3</sup>, 400 ppm

###### **13463-67-7 titanium dioxide (40.0%)**

AGW (Germany) Long-term value: 1.25\* 10\*\* mg/m<sup>3</sup>  
2(II);\*alveolengängig\*\*einstaubbar; AGS, DFG

VME (France) Long-term value: 10 mg/m<sup>3</sup>

#### · **Regulatory information**

AGW (Germany): TRGS 900

VME (France): ED 984, 10.2016

#### · **DNELs:** Data not available.

#### · **PNECs:** Data not available.

#### · **Additional information:** The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

##### · **Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure**

##### · **Appropriate engineering controls**

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- See Section 7 for information about design of technical facilities.

##### · **Personal protective equipment**

##### · **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

##### · **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

##### · **Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the

(Contd. on page 5)

# Safety data sheet

## Regulation (EC) No.1907/2006 and 1272/2008

Printing date 12.04.2019

Version number 1

Revision: 12.04.2019

Trade name: CORRECTION FLUID ,CORRECTION PEN

(Contd. of page 4)

resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material:**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

· **Environmental exposure controls:**

Control measures must be made in accordance with Community environmental protection legislation.

### SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Liquid
Colour:	White
Odour:	Slight irritante
Odour threshold:	Data not available.

· **pH-value:** Data not available.

· **Change in condition:**

Melting point/freezing point:	Data not available.
Initial boiling point and boiling range:	Data not available.

· **Flash point:** -7 °C

· **Flammability (solid, gas):** Not applicable.

· **Auto-ignition temperature:** Data not available.

· **Decomposition temperature:** Data not available.

· **Self-igniting:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.

· **Explosion limits**

Lower:	Data not available.
Upper:	Data not available.

· **Oxidizing properties:** Data not available.

· **Vapour pressure:** Data not available.

· **Density:** Data not available.

· **Relative density:** Data not available.

· **Vapour density:** Data not available.

· **Evaporation rate:** Data not available.

· **Solubility in / Miscibility with water:** Data not available.

· **Partition coefficient: n-octanol/water:** Data not available.

· **Viscosity:**

Dynamic:	Data not available.
Kinematic at 40 °C:	>20.5 mm²/s

(Contd. on page 6)



**Safety data sheet**  
**Regulation (EC) No.1907/2006 and 1272/2008**

Printing date 12.04.2019

Version number 1

Revision: 12.04.2019

Trade name: CORRECTION FLUID ,CORRECTION PEN

(Contd. of page 5)

· **9.2 Other information**

No further relevant information available.

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No decomposition if used according to specifications.
- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

**SECTION 11: Toxicological information**

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:****108-87-2 methylcyclohexane**

Oral LD50 2,250 mg/kg (mouse)

**13463-67-7 titanium dioxide**

Oral LD50 &gt;20,000 mg/kg (rat)

Dermal LD50 &gt;10,000 mg/kg (rabbit)

- **Skin corrosion/irritation**  
Causes skin irritation.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**  
May cause drowsiness or dizziness.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

**SECTION 12: Ecological information**

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.
- **12.7 Additional ecological information:**
- **General notes:**  
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

(Contd. on page 7)

# Safety data sheet

## Regulation (EC) No.1907/2006 and 1272/2008

Printing date 12.04.2019

Version number 1

Revision: 12.04.2019

Trade name: CORRECTION FLUID ,CORRECTION PEN




(Contd. of page 6)

Do not allow product to reach ground water, water course or sewage system.  
 Danger to drinking water if even small quantities leak into the ground.  
 Also poisonous for fish and plankton in water bodies.  
 Toxic for aquatic organisms

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation:**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

· <b>14.1 UN-Number</b>	
· <b>ADR/RID/ADN, IMDG, IATA</b>	UN1993
· <b>14.2 UN proper shipping name</b>	
· <b>ADR/RID/ADN</b>	FLAMMABLE LIQUID, N.O.S. mixture, ENVIRONMENTALLY HAZARDOUS
· <b>IMDG</b>	FLAMMABLE LIQUID, N.O.S. mixture, MARINE POLLUTANT
· <b>IATA</b>	FLAMMABLE LIQUID, N.O.S. mixture
· <b>14.3 Transport hazard class(es)</b>	
· <b>ADR/RID/ADN, IMDG</b>	
	 
· <b>Class</b>	3 Flammable liquids.
· <b>Label</b>	3
· <b>IATA</b>	
	
· <b>Class</b>	3 Flammable liquids.
· <b>Label</b>	3
· <b>14.4 Packing group</b>	
· <b>ADR/RID/ADN, IMDG, IATA</b>	II
· <b>14.5 Environmental hazards</b>	Product contains environmentally hazardous substances: methylcyclohexane
· <b>Marine pollutant:</b>	Symbol (fish and tree)
· <b>Special marking (ADR/RID/ADN):</b>	Symbol (fish and tree)
· <b>14.6 Special precautions for user</b>	Warning: Flammable liquids.
· <b>Danger code (Kemler):</b>	33
· <b>EMS Number:</b>	F-E,S-E
· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.

(Contd. on page 8)



# Safety data sheet

## Regulation (EC) No.1907/2006 and 1272/2008

Printing date 12.04.2019

Version number 1

Revision: 12.04.2019

Trade name: CORRECTION FLUID ,CORRECTION PEN

(Contd. of page 7)

· 14.8 Transport/Additional information:	
· Remarks:	Special marking with the symbol (fish and tree).
· ADR/RID/ADN	
· Limited quantities (LQ):	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category:	2
· Tunnel restriction code:	D/E
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. MIXTURE, 3, II, ENVIRONMENTALLY HAZARDOUS

### SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· MAK(German Maximum Workplace Concentration)

13463-67-7 titanium dioxide

3A

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category

E2 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

· Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

· Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

· National regulations:

· Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

· Other regulations, limitations and prohibitive regulations

· SVHC Candidate List of REACH Regulation Annex XIV Authorisation (15/1/2019)

None of the ingredients is listed.

· REACH Regulation Annex XVII Restriction (17/12/2018)

See Section 16 for information about restriction of use.

None of the ingredients is listed.

· REACH Regulation Annex XIV Authorisation List (13/6/2017)

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

· Relevant hazard statements

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 9)

# Safety data sheet

## Regulation (EC) No.1907/2006 and 1272/2008

Printing date 12.04.2019

Version number 1

Revision: 12.04.2019

Trade name: CORRECTION FLUID ,CORRECTION PEN

(Contd. of page 8)

· Classification according to Regulation (EC) No 1272/2008	
Flammable liquid	Bridging principles
Skin corrosion/irritation Specific target organ toxicity - single exposure Hazardous to the aquatic environment - chronic hazard	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· \*\*\*\*\*  
 The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, 1272/2008 and Regulation (EU) No 2015/830.

**DISCLAIMER OF LIABILITY :**

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

**· Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 DNEL: Derived No-Effect Level (REACH)  
 PNEC: Predicted No-Effect Concentration (REACH)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 Flam. Liq. 2: Flammable liquids – Category 2  
 Skin Irrit. 2: Skin corrosion/irritation – Category 2  
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
 Asp. Tox. 1: Aspiration hazard – Category 1  
 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

· \*\*\*\*\*  
 End of document

EU