PIXMA TS9550a A3 ALL-IN-ONE FOR THE HOME OFFICE OR HOME CRAFTER



Compact, connected and business-savvy, this A3-capable All-in-One prints, copies and scans with ease.





A3 All-in-One printer



2-way paper feeder



20-sheet ADF



Canon PRINT app



Wireless and Ethernet connectivity



5 individual inks









Compact A3 solution

Why sacrifice space when this compact All-in-One printer offers A3 printing with a comparable A4 footprint? The compact and sleek design also includes an intuitive 10.8cm (4.3 inch) touchscreen and an oversize copy feature to manage A3 documents with ease.



Smart and connected

Boost work efficiency by operating your printer with your smartphone. Use the Canon PRINT app and seamless Wi-Fi connectivity to take the fuss out of printing, scanning and copying, or print direct with AirPrint (iOS) and Mopria (Android). You can link up to the local network using the Ethernet connection.



Direct access

Enjoy total connectivity and take the fuss out of printing. Cloud printing and scanning* is a breeze using Cloud Link via the Canon PRINT app. You can even integrate PIXMA TS9550a Series into your smart home and control some basic functions with Alexaenabled devices**.



Best for business

PIXMA TS9550a Series is the perfect home office companion with Ethernet for network connection and cloud scanning* to Evernote, Dropbox and Google Drive via the Cloud Link. Create booklets straight from the touchscreen and multi-task with the 2-way paper feeder and 20sheet ADF***.




Professional production

A printer that's perfect for capturing the detail you need. A dedicated pigment black ink keeps text with true clarity while Canon's class-leading FINE printhead technology and 5 individual inks mean photos benefit from rich graduation and up to 100-year album life.

PRODUCT RANGE









PIXMA TS7750i

PIXMA TS7650i



TECHNICAL SPECIFICATIONS PIXMA TS9550a

GENERAL SPECIFICATIONS Model Numbers	PIXMA TS9550a ^[10]		Removable Photo Stickers (RP-101) Magnetic Photo Paper (MG-101)
Functions	Wireless/Ethernet, Print, Copy, Scan, Cloud link		Dark Fabric Iron on Transfers (DF-101) Light Fabric Iron on Transfers (LF-101) Premium Fine Art Rough (FA-RG1)
PRINTER SPECIFICATIONS Print Resolution Print Technology	Up to 4800 ^[1] x 1200 dpi 5 Individual Inks (PGBK, BK, C, M, Y)	Maximum Paper Input	Rear Tray: Max. 20 sheets (photo paper) or Max. 100 sheets A4/ 50 sheets A3 (plain paper)
	ChromaLife100 inks		Front Cassette: Max. 100 sheets (plain paper)
Mono Print Speed Colour Print Speed Photo Print Speed	Approx. 15.0 ipm [2] Approx. 10.0 ipm ^[2] Borderless 10x15cm : Approx. 12 seconds ^[3]		Multi-purpose Tray: 1 printable CD, DVD or Blu-Ray Disc
Borderless Printing	Yes (A3, A4, Letter, 20x25cm, 13x18cm, 10x15cm, 13x13cm, 8.9x8.9cm, 10x10cm, 17.5x25cm, 25x30cm, 30x30cm)	Paper Sizes	Rear Tray: A3/A4/A5/B5/LTR/LGL/20x25cm/13x18cm/10x15cm/ 13x13cm/8.9x8.9cm/10x10cm/17.5x25cm/25x30cm/ 30x30cm, Envelopes(DL,COM10)
Two Sided Printing	Auto Duplex Print (A4, A5, B5, LTR - Plain Paper)		[Custom size] width 55mm - 215.9 mm, length 89mm - 676mm
CONSUMABLES AND INK YIELDS			Front Cassette: A4, A5, B5, LTR [Custom size] width 148.0 mm - 215.9 mm, length
Standard Ink Cartridges	5 individual ink tanks PGI-580PGBK (Pigment Black) CLI-581BK (Black) CLI-581C (Cyan),	Paper Weight	210m - 297mm Rear Tray: Plain paper 64 - 105 g/m², Canon photo paper up to 300 g/m²
Optional XL/XXL Ink	CLI-581M (Magenta), CLI-581Y (Yellow) High yield XL ink tanks		Front Cassette: Plain Paper: 64-105 g/m ²
Cartridges	PGI-580PGBK XL (Pigment Black)	SCANNER SPECIFICATIONS	
	CLI-581BK XL (Black) CLI-581C XL (Cyan)	Scanner Type Scanner Resolution (Optical)	Flatbed, ADF and CIS colour scanner 1200 x 2400 dpi ^[6]
	CLI-581M XL (Magenta) CLI-581Y XL (Yellow)	Scanning Depth (Input / Output) Maximum Document Size	Colour: RGB each 16bit/8bit Greyscale: 16 bit / 8 bit
	High yield XL ink tanks PGI-580PGBK XXL (Pigment Black)	COPIER SPECIFICATIONS	Flatbed: A4, LTR (216x297mm) ADF: A4, LTR, LGL
	CLI-581BK XXL (Black) CLI-581C XXL (Cyan)	Copy Speed	sFCOT: Approx. 19sec ^[7]
	CLI-581M XXL (Magenta) CLI-581Y XXL (Yellow)		sESAT: Approx. 6.5ipm ^[7] sESAT ADF: Approx. 5.9 ipm ^[7]
Cartridge Yield (Plain paper)	A4 Colour Document ^[4] Pigment Black: 200 pages	Multiple Copy	99 copies max.
	Pigment Black XL: 400 pages	Copy Functions	Document Copying Photo Copying
	Pigment Black XXL: 600 pages Black: 1451* pages		Borderless copy 2-sided copy
	Black XL: 3120* pages Black XXL: 6360* pages		2-on-1 and 4-on-1 copy Frame erase copy
	Cyan: 256 pages Cyan XL: 515 pages		Disc Label Copy ID copy
	Cyan XXL: 820 pages Magenta: 237 pages	Copy Zoom	25 - 400% (in 1% increments)
	Magenta XL: 474 pages Magenta XXL: 760 pages		Fit to page A5 to A3, B5 to B4, A4 to A3, A5 to A4, B5 to A4,
	Yellow: 257 pages Yellow XL: 514 pages		A4 to B5, A4 to A5
	Yellow XXL: 824 pages	INTERFACE	
Cartridge Yield (Photo print)	* Estimated supplemental yield 10x15cm photo ^[5]	Display Type & Size Display Languages	10.8cm LCD (TFT colour/Touch 33 Languages Selectable: Japanese/English(mm &
	Pigment Black: 1263* photos Pigment Black XL: 3373* photos		inch)/German/French/Italian/Spanish/Dutch/ Portuguese/Norwegian/Swedish/Danish/Finnish/
	Pigment Black XXL: 5500* photos Black: 231* photos		Russian/Czech/Hungarian/Polish/Slovene/Turkish/ Greek/Simplified Chinese/Traditional
	Black XL: 520* photos Black XXL: 858* photos		Chinese/Korean/Indonesian/Slovakian/Estonian/ Latvian/Lithuanian/Ukrainian/Romanian/Bulgarian/
	Cyan: 83 photos Cyan XL: 170 photos		Thai/Croatian/Vietnamese
	Cyan XXL: 282 photos	CONNECTIVITY	
	Magenta: 108 photos Magenta XL: 225 photos	Standard Interface	Hi-Speed USB (B Port)
	Magenta XXL: 367 photos Yellow: 99 photos		Ethernet: 10/100Mbps (auto switchable) Wi-Fi: IEEE802.11 b/g/n/a ^[11]
	Yellow XL: 199 photos Yellow XXL: 322 photos		Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP, Administration password
	* Estimated supplemental yield		Wireless LAN Frequency Band: 2.4GHz
PAPER SUPPORT Paper Types	Plain Paper	Mobile Apps	Canon PRINT app ^[12] Easy-PhotoPrint Editor app ^[13] Creative Park app ^[14]
	Canon High Resolution Paper (HR-101N) Canon Pro Platinum (PT-101)	Printer Features	Easy-PhotoPrint Editor Software [15]
	Canon Plus Glossy II (PP-201) Canon Pro Luster (LU-101)		PIXMA Cloud Link ^[10] Canon Print Service Plugin (Android) ^[17] Apple AirPrint ^[18]
	Canon Plus Semi-gloss (SG-201) Canon "Everyday Use" (GP-501)		Wireless Direct [13]
	Canon Matte (MP-101)		Mopria (Android) ^[20] PosterArtist Web
	Canon Double Sided Matte (MP-101D) Envelopes		LAN/WLAN PictBridge Memory Card Slot
	Other Fine Art Papers Printable Discs	I	wennery Card Old



TECHNICAL SPECIFICATIONS

PIXMA TS9550a

SOFTWARE Supported Operating Systems

Supported Mobile Systems Operational Requirements PHYSICAL FEATURES Weight Dimensions (W x D x H)

Acoustic Noise Levels Recommended Operating Environment Power Source Power Consumption

Windows 11, Windows 10, Windows 8.1, Windows 7

SP1 Operation can only be guaranteed on a PC with pre-Installed Windows 7 or later NET Framework 4.5.2 or 4.6 is required OS X 10.10.5~OS X 10.11,macOS 10.12~macOS 10.14 (Sonoma)

iOS, Android, Windows 10 Mobile [21] Display: 1024 x 768 XGA

approx.9.7kg With the trays retracted approx. 468 x 366 x 193 mm With the trays extended: Approx. mm approx. 49.5(A) $^{[8]}$

Temperature: 15-30°C Humidity: 10-80%RH (no dew condensation) AC 100-240V, 50/60Hz

Off: Approx. 0.3W Standby (connected to PC via USB): Approx. 1.2W (scanning lamp off) Standby (all ports connected): Approx. 2.0W (scanning lamp is off) Time to enter Standby mode: 10min 56sec Copying: Approx. 14W^[9]



TECHNICAL SPECIFICATIONS

Footnotes

- [1] Ink droplets can be placed with a minimum pitch of 1/4800 inch
- [2] A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
- Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
 Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous
- [4] printing.
- [5] Declared yield value in accordance with ISO/IEC 29102. Values obtained by continuous printing [6] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183.
- Copy speeds (ADF) are ESAT of copy in sequence. ISO/IEC 24735. [7] Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- When printing ISO/JIS-SCID N2 pattern on 10x15cm Photo Paper Plus Glossy II using default
- [8] writen primurg ISO/JIS-SCID N2 pattern on 10x15cm Photo Paper Plus Glossy II using default settings.
 [9] When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings. settings.
- [10] Some colours may not be available in your region
- Vireless printing requires a working network with wireless 802.11b/g/n/a or ac capability, operating at [11] 2.4GHz. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.
- writers inducts clients.
 Requires an Internet connection and the Canon PRINT Inkjet/SELPHY app, available for free on the App Store and at Google Play. Compatible with iPad, iPhone 3GS or later, and iPod touch 3rd [12] generation or later devices running iOS 7.0 or later, and Android mobile devices running Android 2.3.3 or later. Your device must be connected to the same working network with wireless 802.11
 b/g/n/a capability as your printer. Requires a compatible social media account and is subject to that
- b/g/n/a capability as your printer. Requires a compatible social media account and is subject to that social media accounts Terms of Service. Certain exceptions may apply.
 The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems; Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 31 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor appresent and the cost of the Casy-PhotoPrint Editor appresent an Internet connection and the Easy-PhotoPrint Editor appr v1.10, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running IOS 10 or later, and Android mobile devices running Hark Cost 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhotoPrint Editor export data, EasyPhotoPrint Editor export data, Requires an Internet connection and the Creative Park app, available for free on the App Store and at Cost 10.13 or later), DLP save data, Poster Artist export data, EasyPhotoPrint Editor export data.
- JPEG, PNG, HEIF (devices running IOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data. Requires an Internet connection and the Creative Park app, available for free on the App Store and at [14] Google Play. Compatible with IOS 12.0 or later/Android OS 5.0 or later operating systems. You must have a Canon ID and a Canon inkjet printer to use this app. The Easy-PhotOPrint Editor software requires an Internet connection and is compatible with the following operating systems; Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SPI (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X EI Capitan v10.11 and Mac OS X EI Capitan v10.10.5, Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint [15] Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with Pad Alir2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running IOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running IOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data. The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems; Microsoft Windows S1 (64-bit/32-bit), Microsoft Windows at MacOS Mac OS X requirements are: 2GB of RAM and a monitor with 104x768 resolution. The Easy-PhotoPrint [16] Editor mobile application requires an Internet connection and is compatible with the following operating systems; Microsoft Windows S1 (64-bit/32-bit), Microsoft Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 104x768 resolution. The Easy-Pho
- X requirements are: 2GB of KAM and a monitor with 1024x/b8 resolution. In the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.
- Artist export data, Easy-Fridot+ export data, Easy-Fridot+Printe-Britte Earlot export data. Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android [17] v4.4 v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a standalone app. Available for free at Google Play. AirPrint functionality requires a compatible iPad, iPhone, or iPod Touch device running iOS 7.0 or [18] later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base station, or Time Capsule is not supported.

- (19) Requires a smart device with the Canon PRINT Inket/SELPHY app installed and connected to the USB port or your Mac, PC, AlrPort base station, or IIme Capsule is not supported.
 [19] desired active wireless network to complete cableless setup.
 Requires Android mobile device with Android 4.4 operating system or later with the Mopria Print Canon PRINT Inket/SELPHY app installed and connected to the Service pre-loaded with that device and the compatible PIXMA printer on the same wireless network.
 [20] Service pre-loaded with that device and the compatible PIXMA printer on the same wireless network. Print Service from Google Play
- [21] Some functions may not be available with these Operating Systems. Please refer to the manual or ebsite for details.

Canon

Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

PIXMA TS9550a

- Ink vield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com
- Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
- Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

Canon Inc. canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2024

A3 ALL-IN-ONE FOR THE HOME **PIXMA**TS9550a

Compact, connected and business-savvy, this A3-capable All-in-One prints, copies and scans with ease.

Sales Start Date: May 2024



Product details

Product Name Mercury Code		EAN Code	Recommended Retail Price
PIXMA TS9550a BK EUR	2988C036AA	4549292117622	<please fill="" in="" rrp=""></please>

Consumables

CONSUMABLES:						
Product Name	Mercury Code	EAN Code	Recommended Retail Price			
Standard size						
PGI-580 PGBK	2078C001AA	4549292087062	<please fill="" in="" rrp=""></please>			
CLI-581 BK	2106C001AA	4549292087079	<please fill="" in="" rrp=""></please>			
CLI-581 C	2103C001AA	2103C001AA 4549292087086				
CLI-581 M	2104C001AA	4549292087093	<please fill="" in="" rrp=""></please>			
CLI-581 Y	2105C001AA	4549292087116	<please fill="" in="" rrp=""></please>			
XL size						
PGI-580XL PGBK	2024C001AA	4549292086980	<please fill="" in="" rrp=""></please>			
CLI-581XL BK	2052C001AA	4549292086997	<please fill="" in="" rrp=""></please>			
CLI-581XL C	2049C001AA	4549292087017	<please fill="" in="" rrp=""></please>			
CLI-581XL M	2050C001AA	4549292087024	<please fill="" in="" rrp=""></please>			
CLI-581XL Y	2051C001AA	4549292087031	<please fill="" in="" rrp=""></please>			
XXL size						
PGI-580XXL PGBK	1970C001AA	4549292086836	<please fill="" in="" rrp=""></please>			
CLI-581XXL BK	1998C001AA	4549292086874 <please fill="" in="" rrp=""></please>				
CLI-581XXL C	1995C001AA	1995C001AA 4549292086898 <please fill="" in="" rrp=""></please>				
CLI-581XXLM	1996C001AA	4549292086928	<please fill="" in="" rrp=""></please>			
CLI-581XXL Y	1997C001AA	4549292086959	<please fill="" in="" rrp=""></please>			



A3 ALL-IN-ONE FOR THE HOME **PIXMA**TS9550a

Compact, connected and business-savvy, this A3-capable All-in-One prints, copies and scans with ease.



Measurement / logistic information

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA TS9550a BK EUR	2988C036AA	EA	Individual	1	550	272.5	484	12.3	11
			Pallet (Upper)	16	1,111	1101	972.5	210	197.9
			Pallet (Bottom)	24	1,111	1101	1456.5	298.5	296.9



A3 ALL-IN-ONE FOR THE HOME **PIXMA**TS9550a

Compact, connected and business-savvy, this A3-capable All-in-One prints, copies and scans with ease.



What's in the box

PIXMA TS9550a

- All-In-One A3 inkjet printer PIXMA TS9550a
- · Set-up ink tanks
- Power cord
- Set-up CD-ROM
- · Manuals and other documents





